# PCIe-8398 Specifications



# **Contents**

DCIA 0200 Cm	scifications			 2
PC16-0330 3P6	ecincations	• • • • • • • • •	 	 , э

# PCIe-8398 Specifications

#### **Conditions**

These specifications are typical at 25 °C, unless otherwise stated, and are subject to change without notice.

# **Physical**

Dimensions	6.89 cm × 167.65 cm (2.71 in. × 6.60 in.)
Maximum cable length	3 m
Slot requirements	One slot (PCI Express x16)
Compatibility	Fully compatible with the <b>PCI Express Specification</b> , Revision 3.0
Weight	0.147 kg (0.325 lb) typical

# **Power Requirements**

Power Rail	Typical Current	Maximum Current
+3.3 V	1.688 A	1.9 A
+3.3 V <sub>AUX</sub>	40 mA	146 mA
+12 V	731 mA	1.6 A

#### **Environment**

Maximum altitude	2,000 m
Pollution Degree	2

Indoor use only.

## **Operating Environment**

Ambient temperature range	0 °C to 55 °C (Tested in accordance with IEC-60068-2-1 and IEC-60068-2-2.)
Relative humidity range	10% to 90%, noncondensing (Tested in accordance with IEC-60068-2-56.)

# **Storage Environment**

Ambient temperature range	-20 °C to 70 °C (Tested in accordance with IEC-60068-2-1 and IEC-60068-2-2.)
Relative humidity range	5% to 95%, noncondensing (Tested in accordance with IEC-60068-2-56.)



**Note** Clean the PCIe-8398 with a soft nonmetallic brush. Make sure that the device is completely dry and free from contaminants before returning it to service.

# Safety

This product is designed to meet the requirements of the following standards of safety for information technology equipment:

- IEC 61010-1, EN 61010-1
- UL 61010-1, CSA C22.2 No. 61010-1



Note For UL and other safety certifications, refer to the product label or the Product Certifications and Declarations section.

## **Electromagnetic Compatibility**

This product meets the requirements of the following EMC standards for electrical equipment for measurement, control, and laboratory use:

- EN 61326-1 (IEC 61326-1): Class A emissions; Basic immunity
- EN 55011 (CISPR 11): Group 1, Class A emissions
- AS/NZS CISPR 11: Group 1, Class A emissions
- FCC 47 CFR Part 15B: Class A emissions
- ICES-001: Class A emissions



**Note** In the United States (per FCC 47 CFR), Class A equipment is intended for use in commercial, light-industrial, and heavy-industrial locations. In Europe, Canada, Australia, and New Zealand (per CISPR 11), Class A equipment is intended for use only in heavy-industrial locations.



Note Group 1 equipment (per CISPR 11) is any industrial, scientific, or medical equipment that does not intentionally generate radio frequency energy for the treatment of material or inspection/analysis purposes.



Note For EMC declarations and certifications, and additional information, refer to the **Online Product Certification** section.

# CE Compliance ( E

This product meets the essential requirements of applicable European Directives, as follows:

- 2014/35/EU; Low-Voltage Directive (safety)
- 2014/30/EU; Electromagnetic Compatibility Directive (EMC)
- 2011/65/EU; Restriction of Hazardous Substances (RoHS)
- 2014/53/EU; Radio Equipment Directive (RED)
- 2014/34/EU; Potentially Explosive Atmospheres (ATEX)

#### **Product Certifications and Declarations**

Refer to the product Declaration of Conformity (DoC) for additional regulatory compliance information. To obtain product certifications and the DoC for NI products, visit <u>ni.com/product-certifications</u>, search by model number, and click the appropriate link.

#### **Environmental Management**

NI is committed to designing and manufacturing products in an environmentally responsible manner. NI recognizes that eliminating certain hazardous substances from our products is beneficial to the environment and to NI customers.

For additional environmental information, refer to the **Engineering a Healthy Planet** web page at <u>ni.com/environment</u>. This page contains the environmental regulations and directives with which NI complies, as well as other environmental information not included in this document.

#### **EU and UK Customers**

• Maste Electrical and Electronic Equipment (WEEE)—At the end of the product life cycle, all NI products must be disposed of according to local laws and regulations. For more information about how to recycle NI products in your region, visit ni.com/environment/weee.

## 电子信息产品污染控制管理办法(中国RoHS)

• ◎ ◎ 中国RoHS — NI符合中国电子信息产品中限制使用某些有害物质指令 (RoHS)。关于NI中国RoHS合规性信息,请登录 ni.com/environment/ rohs\_china。 (For information about China RoHS compliance, go to ni.com/ environment/rohs china.)